

**SPC Daily Average Gas Quality Info by Segment : STNGRY/CHECK**

Gas Day	BTU	CHDP	Wobbe Index	CO2	N2	Gravity	Methane	Ethane	Propane	Ibutane	Nbutane	Ipentane	Npentane	C6+
2025-07-12 00:00:00.0	1087.8297	0.0000	1371.4035	1.6033	0.1401	0.6292	90.8835	4.7332	1.5099	0.3478	0.3280	0.1439	0.0968	0.2136
2025-07-11 00:00:00.0	1087.4534	0.0000	1371.8715	1.5646	0.1404	0.6283	90.9711	4.7040	1.5011	0.3450	0.3282	0.1424	0.0958	0.2072
2025-07-10 00:00:00.0	1087.2291	0.0000	1371.8975	1.5560	0.1405	0.6281	90.9957	4.6964	1.4983	0.3443	0.3282	0.1418	0.0953	0.2035
2025-07-09 00:00:00.0	1087.3968	0.0000	1371.9947	1.5559	0.1403	0.6282	90.9926	4.6959	1.4983	0.3439	0.3284	0.1418	0.0953	0.2076
2025-07-08 00:00:00.0	1087.2370	0.0000	1371.9224	1.5551	0.1400	0.6280	91.0005	4.6932	1.4978	0.3437	0.3281	0.1417	0.0953	0.2046
2025-07-07 00:00:00.0	1087.4376	0.0000	1372.0253	1.5555	0.1402	0.6282	90.9921	4.6950	1.4991	0.3441	0.3286	0.1422	0.0957	0.2076
2025-07-06 00:00:00.0	1087.5578	0.0000	1372.1015	1.5552	0.1399	0.6282	90.9898	4.6953	1.4988	0.3443	0.3287	0.1423	0.0958	0.2100
2025-07-05 00:00:00.0	1087.4985	0.0000	1372.0701	1.5551	0.1399	0.6282	90.9904	4.6962	1.4991	0.3443	0.3286	0.1422	0.0958	0.2083
2025-07-04 00:00:00.0	1087.4613	0.0000	1372.0657	1.5542	0.1398	0.6282	90.9944	4.6943	1.4988	0.3443	0.3282	0.1423	0.0958	0.2079
2025-07-03 00:00:00.0	1087.6275	0.0000	1372.1568	1.5545	0.1395	0.6283	90.9893	4.6951	1.4990	0.3444	0.3288	0.1424	0.0960	0.2109
2025-07-02 00:00:00.0	1087.6386	0.0000	1372.1766	1.5540	0.1391	0.6283	90.9902	4.6950	1.4989	0.3443	0.3290	0.1426	0.0960	0.2108
2025-07-01 00:00:00.0	1087.6883	0.0000	1372.2134	1.5537	0.1389	0.6283	90.9897	4.6945	1.4995	0.3443	0.3291	0.1427	0.0962	0.2116
2025-06-30 00:00:00.0	1087.6450	0.0000	1372.2132	1.5527	0.1383	0.6282	90.9937	4.6940	1.4987	0.3442	0.3290	0.1427	0.0961	0.2107
2025-06-29 00:00:00.0	1087.7372	0.0000	1372.0998	1.5620	0.1383	0.6285	90.9711	4.7014	1.5018	0.3453	0.3293	0.1430	0.0964	0.2113
2025-06-28 00:00:00.0	1087.7602	0.0000	1372.0170	1.5678	0.1378	0.6286	90.9598	4.7068	1.5018	0.3454	0.3288	0.1431	0.0965	0.2123
2025-06-27 00:00:00.0	1087.7938	0.0000	1371.9720	1.5713	0.1379	0.6286	90.9506	4.7096	1.5034	0.3457	0.3293	0.1433	0.0966	0.2122
2025-06-26 00:00:00.0	1087.8785	0.0000	1371.8041	1.5838	0.1374	0.6289	90.9247	4.7188	1.5052	0.3463	0.3293	0.1435	0.0968	0.2141
2025-06-25 00:00:00.0	1088.0573	0.0000	1371.8176	1.5887	0.1375	0.6291	90.9110	4.7219	1.5063	0.3464	0.3294	0.1437	0.0969	0.2182
2025-06-24 00:00:00.0	1088.0640	0.0000	1371.7236	1.5944	0.1372	0.6292	90.9014	4.7255	1.5059	0.3468	0.3291	0.1438	0.0971	0.2189
2025-06-23 00:00:00.0	1088.0443	0.0000	1371.5600	1.6032	0.1370	0.6293	90.8827	4.7334	1.5085	0.3471	0.3292	0.1440	0.0973	0.2176
2025-06-22 00:00:00.0	1088.0556	0.0000	1371.4014	1.6127	0.1368	0.6295	90.8635	4.7406	1.5101	0.3478	0.3291	0.1443	0.0974	0.2176
2025-06-21 00:00:00.0	1088.1512	0.0000	1371.2181	1.6261	0.1370	0.6298	90.8340	4.7508	1.5130	0.3489	0.3286	0.1444	0.0977	0.2196
2025-06-20 00:00:00.0	1088.1897	0.0000	1370.8956	1.6459	0.1365	0.6301	90.7946	4.7659	1.5156	0.3496	0.3285	0.1448	0.0978	0.2207

Gas Day	BTU	CHDP	Wobbe Index	CO2	N2	Gravity	Methane	Ethane	Propane	Ibutane	Nbutane	Ipentane	Npentane	C6+
2025-06-19 00:00:00.0	1088.3447	0.0000	1370.4240	1.6781	0.1361	0.6307	90.7260	4.7913	1.5220	0.3515	0.3280	0.1455	0.0982	0.2235
2025-06-18 00:00:00.0	1088.5033	0.0000	1369.7640	1.7206	0.1363	0.6315	90.6344	4.8251	1.5312	0.3543	0.3270	0.1464	0.0989	0.2259
2025-06-17 00:00:00.0	1088.6167	0.0000	1369.0263	1.7664	0.1362	0.6323	90.5393	4.8608	1.5407	0.3570	0.3250	0.1469	0.0988	0.2288
2025-06-16 00:00:00.0	1088.8024	0.0000	1368.4827	1.8037	0.1358	0.6330	90.4622	4.8878	1.5477	0.3591	0.3236	0.1473	0.0990	0.2338
2025-06-15 00:00:00.0	1088.5065	0.0000	1367.0180	1.8790	0.1346	0.6340	90.3342	4.9308	1.5586	0.3642	0.3217	0.1462	0.0988	0.2320
2025-06-14 00:00:00.0	1088.2926	0.0000	1366.4367	1.9060	0.1336	0.6343	90.2948	4.9433	1.5606	0.3662	0.3213	0.1454	0.0988	0.2298
2025-06-13 00:00:00.0	1088.2926	0.0000	1366.4367	1.9060	0.1336	0.6343	90.2948	4.9433	1.5606	0.3662	0.3213	0.1454	0.0988	0.2298
2025-06-12 00:00:00.0	1088.2926	0.0000	1366.4367	1.9060	0.1336	0.6343	90.2948	4.9433	1.5606	0.3662	0.3213	0.1454	0.0988	0.2298
2025-06-11 00:00:00.0	1092.7362	0.0000	1373.6319	1.6369	0.1358	0.6328	90.4077	5.0307	1.6301	0.3599	0.3212	0.1472	0.0968	0.2337
2025-06-10 00:00:00.0	1094.9581	0.0000	1377.2295	1.5023	0.1370	0.6321	90.4642	5.0744	1.6649	0.3567	0.3212	0.1481	0.0959	0.2356
2025-06-09 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-06-08 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-06-07 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-06-06 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-06-05 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-06-04 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-06-03 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-06-02 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-06-01 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-05-31 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-05-30 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-05-29 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-05-28 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362



Gas Day	BTU	CHDP	Wobbe Index	CO2	N2	Gravity	Methane	Ethane	Propane	Ibutane	Nbutane	Ipentane	Npentane	C6+
2025-05-04 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-05-03 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-05-02 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-05-01 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-30 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-29 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-28 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-27 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-26 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-25 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-24 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-23 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-22 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-21 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-20 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-19 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-18 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-17 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-16 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-15 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362
2025-04-14 00:00:00.0	1095.8088	0.0000	1378.6098	1.4508	0.1374	0.6318	90.4858	5.0911	1.6782	0.3555	0.3212	0.1484	0.0955	0.2362